

**FAIRFIELD COUNTY MATH LEAGUE 2023-2024**

**Match 5**

Individual Section

**Please write your answers on the answer sheet provided.**

Round 1: Fractions and Exponents

1-1 The product of two-sevenths and eleven-thirtieths, subtracted from the sum of one-third and three-fifths, is  $\frac{a}{b}$ , where  $a$  and  $b$  are positive integers with no common factors greater than 1. Find  $a + b$ .

[Answer: 64]

1-2 If  $n$  is a real number such that  $\left(\frac{3^n}{9}\right)^{n-3} = 9$ , find the sum of all possible values of  $3^n$ .

[Answer: 84]

1-3 If  $x$  and  $n$  are positive numbers such that  $x^n + x^{-n} = 5$ , find the value of  $x^{3n} + x^{-3n}$ .

[Answer: 110]

**FAIRFIELD COUNTY MATH LEAGUE 2023–2024**

**Match 5**

Individual Section

**Please write your answers on the answer sheet provided.**

Round 2: Rational Expressions and Equations

2-1 If  $y = \frac{3x-7}{2x+5}$  and  $z = \frac{y+10}{4y-1}$ , then there exist integers  $a, b, c,$  and  $d$  that share no common factors greater than 1 such that  $z = \frac{ax+b}{cx+d}$ . Find the value of  $a + b + c + d$ .  
[Answer: 43]

2-2 For how many positive integer values of  $n, 4 \leq n \leq 60$ , is the fraction  $\frac{n-3}{n+3}$  in simplest form?  
[Answer: 19]

2-3 Artist Lotso Monet asks his friend to watch his gallery for 8 weeks. In return, Lotso will give his friend \$1200 plus one of his paintings, which is valued at  $d$  dollars. Unfortunately, the friend has an emergency and has to leave after watching the gallery for only  $n$  weeks. Lotso compensates his friend proportionally with \$200 and the painting. If  $n$  and  $d$  are both positive integers, find the sum of the highest and lowest possible values of  $d$ .  
[Answer: 7200]

**FAIRFIELD COUNTY MATH LEAGUE 2023–2024**

**Match 5**

Individual Section

**Please write your answers on the answer sheet provided.**

Round 3: Circles

- 3-1 Points  $F, C, M,$  and  $L$  lie on the circumference of a circle, and chords  $\overline{FM}$  and  $\overline{CL}$  intersect at point  $P$ . If  $m\widehat{FC} = 60^\circ$ ,  $m\angle MPL = 40^\circ$ , and  $\widehat{CM} \cong \widehat{ML}$ , find the measure of  $\widehat{FL}$  in degrees.


[Answer: 260]

- 3-2 On a large clock on a tower, the minute hand is 12 inches long and the hour hand is 10 inches long. In a fixed interval of time (less than one hour), the tip of the minute hand traces out  $\widehat{AB}$  and the tip of the hour hand traces out  $\widehat{CD}$ . If, at the end of this interval,  $\widehat{CD}$  has a length of 5 inches, what is the length in inches of  $\widehat{AB}$ ?

[Answer: 72]

- 3-3 Refer to the diagram. Line segment  $\overline{PF}$  intersects the circle at points  $F$  and  $C$ , and line segment  $\overline{PM}$  intersects the circle at points  $M$  and  $L$ .  $ML = 2FC$ ,  $PL = 8$ , and  $PC$  and  $FC$  are integers. If  $n$  is the number of possible values of  $FC$  and  $x$  is the largest possible value of  $FC$ , find  $n + x$ .

[Answer: 166]



**FAIRFIELD COUNTY MATH LEAGUE 2023-2024**

**Match 5**

Individual Section

**Please write your answers on the answer sheet provided.**

Round 4: Quadratic Equations & Complex Numbers

4-1 The quadratic equation  $(1 + 2i)z^2 + 7z + 2 - 4i = 0$  has two solutions  $z_1$  and  $z_2$ , where  $|z_1| < |z_2|$ . For  $z_1$ ,  $|z_1| = \frac{a\sqrt{b}}{c}$  where  $a, b$ , and  $c$  are positive integers where  $a$  and  $c$  have no common factors greater than 1 and  $b$  has no perfect square factors greater than 1. Find  $a + b + c$ .  
[Answer: 12]

4-2 A quadratic function  $f(z) = z^2 - 5z + a + bi$ , where  $a$  and  $b$  are real numbers, has zeros of  $2 + pi$  and  $q - 6i$  for some real numbers  $p$  and  $q$ . Find  $a + b$ .  
[Answer: 48]

4-3 Consider the quadratic function  $g(z) = az^2 + 2iz - 5$ , where  $a$  is a nonzero integer and  $|a| \leq 10$ . It is known that  $g(z)$  has complex zeros with rational coefficients. Find the sum of all possible values of  $a$ .  
[Answer: 3]

**FAIRFIELD COUNTY MATH LEAGUE 2023-2024**

**Match 5**

Individual Section

**Please write your answers on the answer sheet provided.**

Round 5: Trigonometric Equations

5-1 If  $x$  is an angle in Quadrant I and  $\sin^2(x) + \cos^2(x) + \tan^2(x) = 10000$ , find  $\sec(x)$ .  
[Answer: 100]

5-2 If  $0 \leq x \leq \frac{\pi}{4}$  and  $\cos(x) + \sin(x) = 1.2$ , then  $\cos(x) - \sin(x) = \frac{\sqrt{a}}{b}$ , where  $a$  and  $b$  are positive integers and  $a$  has no perfect square factors greater than 1. Find  $a + b$ .  
[Answer: 19]

5-3 For  $0 \leq x \leq 2\pi$ , the sum of all possible values of  $x$  that solve the equation  $2 \sin(2x) = \tan(x)$  is  $k\pi$  for some integer  $k$ . Find the value of  $k$ .  
[Answer: 7]

**FAIRFIELD COUNTY MATH LEAGUE 2023-2024**

**Match 5**

Individual Section

**Please write your answers on the answer sheet provided.**

Round 6: Sequences & Series

- 6-1 A sequence is defined recursively:  $a_1 = 2$ ,  $a_2 = 3$ , and for all  $n > 2$ ,  $a_n = 2a_{n-2} - a_{n-1}$ .  
How many of the first 50 terms are positive?  
[Answer: 27]
- 6-2 The third term of an arithmetic series is 9, which is three times the sum of the first three terms. What is the 30<sup>th</sup> term of the series?  
[Answer: 225]
- 6-3 An infinite geometric series has a common ratio  $r$  and infinite sum  $S > 0$ . The sum of the second term and  $r^2S$  exceeds the value of the first term by 40%. If  $S$  is an integer and only the first two terms of the series are integers, find the least possible value of  $S$ .  
[Answer: 144]

**FAIRFIELD COUNTY MATH LEAGUE 2023-2024**

**Match 5**

Team Round

**Please write your answers on the answer sheet provided.**

1. A proper fraction  $\frac{a}{b}$  where  $a$  and  $b$  have no common factors greater than 1 has the property that multiplying the numerator by 7 and increasing the denominator by 40 will increase the value of the fraction by 40%. Find the sum of all possible values of  $a$ .  
[Answer: 20]
2. Given the equation  $\frac{x+k}{x-4} - \frac{3x-5}{2x-1} = \frac{10x+30}{2x^2-9x+4}$ , the value of  $k$  is such that  $x = 4$  is an extraneous solution. Given this value of  $k$ , what is the non-extraneous solution of the equation for  $x$ ?  
[Answer: 14]
3. A dog is on a leash tied to the corner of a shed shaped like a rectangular prism that is 20 feet long and  $w$  feet wide. The leash is 16 feet long. If the dog has as much area to roam as it would if it could roam freely in a circle at the end of a 14-foot-long leash, what is the value of  $w$ ?  
[Answer: 12]
4. A local math league is selling protractors to raise funds for busing. Students on the team produce a model that says that when protractors are priced at \$2.50 each, they expect to sell 140 of them. Additional research indicates that every price increase of \$.50 will result in selling 10 fewer protractors. Based on this model, find the maximum number of *cents* in revenue that students will be able to earn from this fundraiser.  
[Answer: 45125]
5. Consider right triangle  $FCL$  with right angle  $C$ . Point  $M$  lies on  $\overline{CL}$  such that  $\overline{FM}$  is an angle bisector. If  $FL = k(FC)$  for some integer  $k$ ,  $CM = 5$ , and  $FC < 6$ , find the least possible value of  $k$ .  
[Answer: 6]
6. An infinite geometric series with the first two terms  $90 + 78 + \dots$  has an infinite sum  $S$ . The sum of the first  $n$  terms of an arithmetic series with the first two terms  $90 + 78 + \dots$  is  $N$ . Find the minimum value of  $S - N$ .  
[Answer: 291]