

NEW ENGLAND ASSOCIATION OF MATHEMATICS LEAGUES

PLAYOFFS – 2007

Round 1: Arithmetic and Number Theory

1. _____
2. _____
3. _____

1. Determine the value of c such that $24_5 + 62_7 = 3c2_4$.

2. Let S be the set of primes less than 50 and let p_1 and p_2 be members of S . Determine the number of sets $\{p_1, p_2\}$ such that $(p_1 + p_2) \in S$.

3. Find the three-digit base 10 number ABC with distinct A , B , and C , and with $A \geq 1$, such that the product of the two-digit numbers AB and BC exceeds ABC by the greatest amount.

NEW ENGLAND ASSOCIATION OF MATHEMATICS LEAGUES

PLAYOFFS – 2007

Round 2: Algebra 1

1. _____

2. _____

3. _____

1. 6 less than the square of a prime number is 8 more than 5 times the number. What is the number?

2. Find the ordered pair of real numbers (x, y) satisfying the system:

$$ax + \frac{y}{b} = a$$

$$bx - \frac{y}{a} = b$$

3. If the only real solution to $x + \frac{9}{x} + y + \frac{25}{y} = 4$ is the ordered pair (a, b) , determine the numerical value of $4a + 7b$.

NEW ENGLAND ASSOCIATION OF MATHEMATICS LEAGUES

PLAYOFFS – 2007

Round 3: Geometry


1. _____

2. _____


3. _____

1. Each side of a square has the same length as the diagonal of a 5" x 12" rectangle. A circle is inscribed in the square. Exactly how many inches are in the circumference of the circle?

2. Starting with a square, a new figure is formed by removing four equilateral triangles. Find the ratio of the perimeter of the new figure to the perimeter of the original square.



3. A figure whose base is a square and whose top is a semicircle is inscribed in an equilateral triangle of side 12 cm as shown in the diagram at the right. Determine the number of cm in the length of the radius of the semi-circle.



NEW ENGLAND ASSOCIATION OF MATHEMATICS LEAGUES

PLAYOFFS – 2007

Round 4: Algebra 2

1. _____

2. _____

3. _____

1. What is the sum of the positive integers which satisfy $\frac{(x+2)(x-5)}{x-3} \leq 0$?

2. Find the range of $y = \log_2(4^{x^2} + 4^{(x-1)^2})$

3. The difference between the sum of the first k terms of $1^3 + 2^3 + 3^3 + \dots + n^3$ and the sum of the first k terms of $1 + 2 + 3 + \dots + n$ is 1980. Find k .

NEW ENGLAND ASSOCIATION OF MATHEMATICS LEAGUES

PLAYOFFS – 2007

Round 5: Analytic Geometry

1. _____
2. _____
3. _____

1. Point P is $\frac{2}{3}$ of the way from $F(-5, 3)$ to $G(4, 15)$. Line L is perpendicular to \overline{FG} and passes through P . The equation of line L is $ax + by = c$, where a , b , and c are relatively prime integers and $a > 0$. Determine the ordered triple (a, b, c) .

2. Let f be a linear function whose x -intercept is positive. If, for all x ,
 $f(x) + f^{-1}(x) = \frac{17}{4}x + 2$, find the y -intercept of f .

3. Let V be the vertex of $y = k - x^2$ and let A lie on the parabola so that $AV = \sqrt{30}$. The parabola is rotated around the y -axis. Determine the area of the circle that A sweeps out.

NEW ENGLAND ASSOCIATION OF MATHEMATICS LEAGUES

PLAYOFFS – 2007

Round 6: Trig and Complex Numbers

1. _____

2. _____

3. _____

1. If $\sin A = \frac{3}{7}$ and $\cos A < 0$, find $\tan 2A$.

2. If r is a solution to $x^2 + x + 1 = 0$, then determine the value of

$$\left(r + \frac{1}{r}\right)^1 + \left(r^2 + \frac{1}{r^2}\right)^3 + \left(r^4 + \frac{1}{r^4}\right)^5 + \left(r^8 + \frac{1}{r^8}\right)^7 + \cdots + \left(r^{1024} + \frac{1}{r^{1024}}\right)^{21}.$$

3. In $\triangle ABC$, $AB = 1$, $BC = 1$, and $AC = \frac{1}{\sqrt{2}}$. In $\triangle MNP$, $MN = 1$, $NP = 1$, and $m\angle MNP = 2m\angle ABC$. Find MP .


MASSACHUSETTS ASSOCIATION OF MATHEMATICS LEAGUES

NEW ENGLAND PLAYOFFS – 2007


Team Round

- | | |
|----------|----------|
| 1. _____ | 4. _____ |
| 2. _____ | 5. _____ |
| 3. _____ | 6. _____ |

1. Two circles of radius 2 intersect the segment \overline{PQ} connecting their centers at trisection points of the segment. The area of the region bounded by \overline{SU} , arc RS , and arc RU equals $A \cos^{-1} B - C$ for real numbers A, B , and C with $B = m\angle RPU$. Compute the product $A \cdot B \cdot C$.



2. The function f is defined on the set of real numbers. One period of the graph of f is shown. It consists of four quarter-circles of radius 2. Determine the value of $f\left(\frac{2007}{2}\right)$.



3. Determine the lattice point (x, y, z) with the largest value of z , such that (x, y, z) satisfies both $7x + 6y + 2z = 272$ and $x - y + z = 16$ and that lies in the first octant where $x, y, z > 0$.
4. Find four sets of three positive real numbers, such that given any two of the three numbers, one of the two is either twice the other or the square of the other.
5. Given $A(-4, 0)$ and $B(4, 0)$, the area enclosed by the set of points P such that $(PA)^2 + (PB)^2 = k$ is 9. Determine the value of k .
6. Points A and B lie on the line $y = -\frac{x}{2} + 4$, point $P = (6, 6)$ and $m\angle APB = 45^\circ$. Determine the smallest possible area for triangle APB .

NEW ENGLAND ASSOCIATION OF MATHEMATICS LEAGUES

PLAYOFFS – 2007

Answer Sheet

Round 1

1. 2
2. 6
3. 897

Round 2

1. 7
2. (1,0)
3. 23

Round 3

1. 13π
2. $\frac{3+\sqrt{3}}{3}$
3. $\frac{3\sqrt{3}}{2}$

Round 4

1. 9
2. $y \geq \frac{3}{2}$
3. 9

Round 5

1. (3, 4, 47)
2. $-\frac{2}{3}$
3. 5π

Round 6

1. $-\frac{12\sqrt{10}}{31}$
2. -11
3. $\frac{\sqrt{7}}{2}$

Team

1. $\frac{9\sqrt{7}}{4}$
2. $\frac{4+\sqrt{15}}{2}$
3. (8,25,33)
4. $\{1,1,1\}, \{1,2,1\}, \{4,8,16\},$
 $\{2^{1/3}, 2^{2/3}, 2^{4/3}\}, \{2^{-1/3}, 2^{-2/3}, 2^{-4/3}\}$
5. $\frac{18+32\pi}{\pi}$
6. $20\sqrt{2} - 20$